



< Back to results | 1 of 1

📄 Export 📄 Download 🖨️ Print ✉️ E-mail 💾 Save to PDF ☆ Add to List More... >

Full Text | View at Publisher|

Document type
Conference Paper

Source type

ISSN
22128271
DOI
10.1016/j.procir.2020.05.122

View more ▾

Procedia CIRP • Open Access • Volume 89, Pages 79 - 91 • 2020 • 4th CIRP Conference on Biomanufacturing, CIRP-BioM 2019, Guangzhou, 12 December 2019 - 15 December 2019, 161127

Experimental investigation of biological and mechanical properties of CoCrMo based selective laser melted metamaterials for bone implant manufacturing

Che Ghani S.A.^a, Mohamed S.R.^a, Sha'Ban M.^b, Wan Harun W.S.^a, Md Noar N.A.Z.^c

📄 Save all to author list

^a Human Engineering Group, Faculty of Mechanical and Automotive Engineering Technology, Universiti Malaysia Pahang, Pekan, Pahang, 26600, Malaysia

^b Department of Biomedical Science, Kulliyah of Allied Health Sciences, Internaltional Islamic University Malaysia, Jalan Sultan Ahmad Shah, Bandar Indera Mahkota, Kuantan, Pahang, 25300, Malaysia

^c Department of Mathematic, Faculty of Industrial Sciences and Technology, Universiti Malaysia Pahang, Gambang, Pahang, 26300, Malaysia

Views count🔗

View all metrics>

Abstract

Author keywords

Indexed keywords

SciVal Topics

Metrics

Funding details

Abstract

Metamaterials are composed of structural elements and their properties are derived mainly from the inner structure of the elements, rather than the properties of their constituent material. In this study, mechanical and biological properties of metamaterial made by selective laser melted cobalt chrome molybdenum (CoCrMo) were studied. Metamaterials of diamond and square shapes unit cells with 1.5-2.5 mm strut length and 0.4-0.6 mm strut thickness was prepared by layer-by-layer additive manufacturing technique. The metamaterials demonstrated excellent biological property under MTT assay cytotoxicity after 14 days cell cultured. Comparisons of the experimental data between two unit cell types made by compression tests exhibited that the stiffness of square shape is always higher 20% than those of diamond type, nonetheless all the tested materials satisfy the young's modulus of human cancellous bone. Furthermore, the compression tests also resulted in determining both unit cell types with strut thickness 0.6 mm and strut length 1.5 mm to meet the compressive strength of human cortical bone. The tailored metamaterials by modifying the unit cell sizes and shapes of fabricated bone implant can be achieved by using additive manufacturing technique. The design concepts of internal structures by determining the properties of metamaterials demonstrated in this study will be valuable in future biomedical applications. © 2020 The Authors.

Author keywords

Additive manufacturing ; Biological properties ; Mechanical properties ; Metamaterials ; Orthopaedic implants

Engineering controlled terms

3D printers; Additives; Biomechanics; Cells; Chromium alloys; Cobalt alloys; Compression testing; Compressive strength; Cytology; Elastic moduli; Medical applications; Metamaterials; Molybdenum alloys; Struts; Ternary alloys

Engineering uncontrolled terms

Biological properties ; Biomedical applications; Constituent materials; Experimental investigations; Human cortical bone ; Internal structure; Manufacturing techniques; Structural elements

Engineering main heading

Bone

Cited by 0 documents

Inform me when this document is cited in Scopus:

Set citation alert >

Related documents

Effects of build orientation and heat treatment on the microstructure and mechanical properties of selective laser melted Ti6Al4V lattice structures

Wauthle, R. , Vrancken, B. , Beynaerts, B.
(2015) *Additive Manufacturing*

The relationships between deformation mechanisms and mechanical properties of additively manufactured porous biomaterials

Kadkhodapour, J. , Montazerian, H. , Darabi, A.C.
(2017) *Journal of the Mechanical Behavior of Biomedical Materials*

Static behavior of lattice structures produced via direct metal laser sintering technology

Crupi, V. , Kara, E. , Epasto, G.
(2017) *Materials and Design*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

**Topic name**

Selective Laser Melting; Titanium Alloy (TiAl6V4); Inconel (Trademark)

Prominence percentile

99.981

Scopus metrics

Views count Last updated on 19 May 2021

Views count 2021

Views count 2020

Views count 2012-2021

PlumX metrics

Captures

Readers

View PlumX details>

Funding sponsor	Funding number	Acronym
Ministry of Education Malaysia		
Universiti Malaysia Pahang	FRGS/1/2016/TK03/UMP/02/17,PGRS1903164	
See opportunities		

Funding text

The authors are grateful to the Ministry of Education Malaysia and Universiti Malaysia Pahang, Malaysia (www.ump.edu.my) for financial supports given under FRGS/1/2016/TK03/UMP/02/17 and PGRS1903164. The authors are indebted to Dipl-Ing. Muhammad Izuddin Abdul Hamid from Contraves Advanced Devices Sdn. Bhd. for SLM fabrication and constructive discussion. Furthermore, the authors would like to express the gratitude to Mr. Muhammad Azri Ifwat Mohamed Amin for the assistance in-vitro laboratory experiment at Tissue Engineering Laboratory, Department of Biomedical, Kulliyah of Allied Health Sciences, IIUM.

References (111)

View in search results format >

☐ All ☐ Export Print E-mail Save to PDF ☐ Create bibliography

- ☐ 1 Sihvola, A.
Metamaterials in electromagnetics
(2007) *Metamaterials*, 1 (1), pp. 2-11. Cited 310 times.
doi: 10.1016/j.metmat.2007.02.003
[View at Publisher](#)
- ☐ 2 Shamonina, E., Solymar, L.
Metamaterials: How the subject started
(2007) *Metamaterials*, 1 (1), pp. 12-18. Cited 94 times.
doi: 10.1016/j.metmat.2007.02.001
[View at Publisher](#)
- ☐ 3 Acher, O.
Copper vs. iron: Microwave magnetism in the metamaterial age
(2009) *Journal of Magnetism and Magnetic Materials*, 321 (14), pp. 2093-2101. Cited 20 times.
doi: 10.1016/j.jmmm.2008.10.035
[View at Publisher](#)
- ☐ 4 Starodubtsev, E.G.
Characteristic properties of electromagnetic wave interaction with uniaxial absorbing metamaterials: A case of the near-zero axial parameter
(2010) *Metamaterials*, 4 (1), pp. 32-43. Cited 4 times.
doi: 10.1016/j.metmat.2010.03.003
[View at Publisher](#)

-
- ☐ 5 Kante, B., Ourir, A., Burokur, S.N., Gadot, F., de Lustrac, A.
Metamaterials for optical and radio communications

(2008) *Comptes Rendus Physique*, 9 (1), pp. 31-40. Cited 15 times.
doi: 10.1016/j.crhy.2007.10.004

[View at Publisher](#)
-
- ☐ 6 Rybin, O., Raza, M., Nawaz, T., Abbas, T.
Evaluation of layer properties of effective parameters of metallic rod metamaterials in GHz frequencies

(2009) *AEU - International Journal of Electronics and Communications*, 63 (8), pp. 648-652. Cited 16 times.
doi: 10.1016/j.aeue.2008.05.005

[View at Publisher](#)
-
- ☐ 7 He, S., Cui, Y., Ye, Y., Zhang, P., Jin, Y.
Optical nano-antennas and metamaterials ([Open Access](#))

(2009) *Materials Today*, 12 (12), pp. 16-24. Cited 25 times.
doi: 10.1016/S1369-7021(09)70313-X

[View at Publisher](#)
-
- ☐ 8 Potts, A., Papakostas, A., Bagnall, D.M., Zheludev, N.I.
Planar chiral meta-materials for optical applications ([Open Access](#))

(2004) *Microelectronic Engineering*, 73-74, pp. 367-371. Cited 26 times.
<http://www.journals.elsevier.com/microelectronic-engineering/>
doi: 10.1016/S0167-9317(04)00128-5

[View at Publisher](#)
-
- ☐ 9 Lourtioz, J.-M.
Photonic crystals and metamaterials

(2008) *Comptes Rendus Physique*, 9 (1), pp. 4-15. Cited 17 times.
doi: 10.1016/j.crhy.2007.10.006

[View at Publisher](#)
-
- ☐ 10 Lu, M.-H., Feng, L., Chen, Y.-F.
Phononic crystals and acoustic metamaterials ([Open Access](#))

(2009) *Materials Today*, 12 (12), pp. 34-42. Cited 338 times.
doi: 10.1016/S1369-7021(09)70315-3

[View at Publisher](#)
-
- ☐ 11 Yang, R., Xie, Y.J., Li, X.F., Jiang, J.
Slow wave propagation in nonradiative dielectric waveguides with bianisotropic split ring resonator metamaterials

(2008) *Infrared Physics and Technology*, 51 (6), pp. 555-558. Cited 7 times.
doi: 10.1016/j.infrared.2008.07.001

[View at Publisher](#)
-
- ☐ 12 Zhao, X.P., Zhao, Q., Kang, L., Song, J., Fu, Q.H.
Defect effect of split ring resonators in left-handed metamaterials

(2005) *Physics Letters, Section A: General, Atomic and Solid State Physics*, 346 (1-3), pp. 87-91. Cited 49 times.
<https://www.journals.elsevier.com/physics-letters-a>
doi: 10.1016/j.physleta.2005.07.013

[View at Publisher](#)
-

- 13 Naqvi, Q.A., Abbas, M.
Fractional duality and metamaterials with negative permittivity and permeability
(2003) *Optics Communications*, 227 (1-3), pp. 143-146. Cited 21 times.
doi: 10.1016/j.optcom.2003.08.041
[View at Publisher](#)
-
- 14 Maksimović, M., Jakšić, Z.
Modification of thermal radiation by periodical structures containing negative refractive index metamaterials
(2005) *Physics Letters, Section A: General, Atomic and Solid State Physics*, 342 (5-6), pp. 497-503. Cited 18 times.
<https://www.journals.elsevier.com/physics-letters-a>
doi: 10.1016/j.physleta.2005.05.076
[View at Publisher](#)
-
- 15 Panoiu, N.C., Osgood Jr., R.M.
Numerical investigation of negative refractive index metamaterials at infrared and optical frequencies
(2003) *Optics Communications*, 223 (4-6), pp. 331-337. Cited 45 times.
doi: 10.1016/S0030-4018(03)01690-0
[View at Publisher](#)
-
- 16 Amin Yavari, S., Ahmadi, S.M., Wauthle, R., Pouran, B., Schrooten, J., Weinans, H., Zadpoor, A.A.
Relationship between unit cell type and porosity and the fatigue behavior of selective laser melted meta-biomaterials
(2015) *Journal of the Mechanical Behavior of Biomedical Materials*, 43, pp. 91-100. Cited 179 times.
http://www.elsevier.com.ezlib.iium.edu.my/wps/find/journaldescription.cws_home/711005/description#description
doi: 10.1016/j.jmbbm.2014.12.015
[View at Publisher](#)
-
- 17 Scholz, M.-S., Blanchfield, J.P., Bloom, L.D., Coburn, B.H., Elkington, M., Fuller, J.D., Gilbert, M.E., (...), Bond, I.P.
The use of composite materials in modern orthopaedic medicine and prosthetic devices: A review
(2011) *Composites Science and Technology*, 71 (16), pp. 1791-1803. Cited 127 times.
doi: 10.1016/j.compscitech.2011.08.017
[View at Publisher](#)
-
- 18 Taljanovic, M.S., Jones, M.D., Ruth, J.T., Benjamin, J.B., Sheppard, J.E., Hunter, T.B.
Fracture Fixation
(2003) *Radiographics*, 23 (6), pp. 1569-1590. Cited 52 times.
<http://radiographics.rsna.org/>
doi: 10.1148/rg.236035159
[View at Publisher](#)
-
- 19 Hallab, N.J., Jacobs, J.J.
Orthopedic Applications
(2013) *Biomaterials Science: An Introduction to Materials: Third Edition*, pp. 841-882. Cited 14 times.
<http://www.sciencedirect.com.ezlib.iium.edu.my/science/book/9780123746269>
ISBN: 978-012374626-9
doi: 10.1016/B978-0-08-087780-8.00073-5
[View at Publisher](#)
-
- 20 Murray, P.M.
Prosthetic Replacement of the Proximal Interphalangeal Joint
(2006) *Hand Clinics*, 22 (2), pp. 201-206. Cited 21 times.
doi: 10.1016/j.hcl.2006.02.005
[View at Publisher](#)

- ☐ 21 Molinari, R.W.
Dynamic stabilization of the lumbar spine
(2007) *Current Opinion in Orthopaedics*, 18 (3), pp. 215-220. Cited 12 times.
doi: 10.1097/BCO.0b013e32810f2dc0
[View at Publisher](#)
-
- ☐ 22 Schroeder, G.D., Murray, M.R., Hsu, W.K.
A Review of Dynamic Stabilization in the Lumbar Spine
(2011) *Operative Techniques in Orthopaedics*, 21 (3), pp. 235-239. Cited 6 times.
doi: 10.1053/j.oto.2011.06.006
[View at Publisher](#)
-
- ☐ 23 Misch, C.E.
Dental Implant Prosthetics
(2014) *Dental Implant Prosthetics*, pp. 1-993. Cited 70 times.
<http://www.sciencedirect.com.ezlib.iium.edu.my/science/book/9780323078450>
ISBN: 978-032326367-2; 978-032307845-0
doi: 10.1016/C2009-0-42440-1
[View at Publisher](#)
-
- ☐ 24 Figliuzzi, M., Mangano, F., Mangano, C.
A novel root analogue dental implant using CT scan and CAD/CAM: Selective laser melting technology
(2012) *International Journal of Oral and Maxillofacial Surgery*, 41 (7), pp. 858-862. Cited 71 times.
doi: 10.1016/j.ijom.2012.01.014
[View at Publisher](#)
-
- ☐ 25 Disegi, J.A.
Titanium alloys for fracture fixation implants
(2000) *Injury*, 31 (SUPPL. 4), pp. D14-D17. Cited 91 times.
www.elsevier.com/locate/injury
doi: 10.1016/S0020-1383(00)80017-0
[View at Publisher](#)
-
- ☐ 26 Nakayama, B., Hasegawa, Y., Hyodo, I., Ogawa, T., Fujimoto, Y., Kitano, H., Torii, S.
Reconstruction using a three-dimensional orbitozygomatic skeletal model of titanium mesh plate and soft-tissue free flap transfer following total maxillectomy
(2004) *Plastic and Reconstructive Surgery*, 114 (3), pp. 631-639. Cited 51 times.
doi: 10.1097/01.PRS.0000130940.46400.7F
[View at Publisher](#)
-
- ☐ 27 Kurtz, S.M., Lau, E., Ong, K., Zhao, K., Kelly, M., Bozic, K.J.
Future young patient demand for primary and revision joint replacement: National projections from 2010 to 2030 ([Open Access](#))
(2009) *Clinical Orthopaedics and Related Research*, 467 (10), pp. 2606-2612. Cited 826 times.
<https://journals.lww.com/clinorthop/pages/default.aspx>
doi: 10.1007/s11999-009-0834-6
[View at Publisher](#)
-
- ☐ 28 Kurtz, S., Ong, K., Lau, E., Mowat, F., Halpern, M.
Projections of primary and revision hip and knee arthroplasty in the United States from 2005 to 2030
(2007) *Journal of Bone and Joint Surgery - Series A*, 89 (4), pp. 780-785. Cited 4947 times.
<http://jbj.s.org/issues.aspx>
doi: 10.2106/JBJS.F.00222
[View at Publisher](#)
-

- 29 Ren, K., Dusad, A., Zhang, Y., Wang, D.
Therapeutic intervention for wear debris-induced aseptic implant loosening
(2013) *Acta Pharmaceutica Sinica B*, 3 (2), pp. 76-85. Cited 18 times.
-
- 30 Bozic, K.J., Ries, M.D.
Wear and osteolysis in total hip arthroplasty

(2005) *Seminars in Arthroplasty JSES*, 16 (2), pp. 142-152. Cited 10 times.
<http://www.elsevier.com.ezlib.iium.edu.my/inca/publications/store/6/2/3/1/7/8/index.htm>
doi: 10.1053/j.sart.2005.05.003

View at Publisher
-
- 31 Landgraeber, S., Putz, S., Schlattjan, M., Bechmann, L.P., Totsch, M., Grabellus, F., Hilken, G., (...), Canbay, A.
Adiponectin attenuates osteolysis in aseptic loosening of total hip replacements

(2014) *Acta Biomaterialia*, 10 (1), pp. 384-393. Cited 14 times.
doi: 10.1016/j.actbio.2013.08.031

View at Publisher
-
- 32 Murr, L.E., Gaytan, S.M., Martinez, E., Medina, F., Wicker, R.B.
Next generation orthopaedic implants by additive manufacturing using electron beam melting (Open Access)

(2012) *International Journal of Biomaterials*, art. no. 245727. Cited 165 times.
doi: 10.1155/2012/245727

View at Publisher
-
- 33 España, F.A., Balla, V.K., Bose, S., Bandyopadhyay, A.
Design and fabrication of CoCrMo alloy based novel structures for load bearing implants using laser engineered net shaping

(2010) *Materials Science and Engineering C*, 30 (1), pp. 50-57. Cited 85 times.
doi: 10.1016/j.msec.2009.08.006

View at Publisher
-
- 34 Sing, S.L., An, J., Yeong, W.Y., Wiria, F.E.
Laser and electron-beam powder-bed additive manufacturing of metallic implants: A review on processes, materials and designs

(2016) *Journal of Orthopaedic Research*, 34 (3), pp. 369-385. Cited 419 times.
<http://www.interscience.wiley.com.ezlib.iium.edu.my/jpages/0736-0266>
doi: 10.1002/jor.23075

View at Publisher
-
- 35 Wang, X., Xu, S., Zhou, S., Xu, W., Leary, M., Choong, P., Qian, M., (...), Xie, Y.M.
Topological design and additive manufacturing of porous metals for bone scaffolds and orthopaedic implants: A review

(2016) *Biomaterials*, 83, pp. 127-141. Cited 802 times.
<http://www.journals.elsevier.com/biomaterials/>
doi: 10.1016/j.biomaterials.2016.01.012

View at Publisher
-
- 36 Gaytan, S.M., Cadena, M.A., Karim, H., Delfin, D., Lin, Y., Espalin, D., MacDonald, E., (...), Wicker, R.B.
Fabrication of barium titanate by binder jetting additive manufacturing technology (Open Access)

(2015) *Ceramics International*, Part PA 41 (5), pp. 6610-6619. Cited 97 times.
doi: 10.1016/j.ceramint.2015.01.108

View at Publisher
-

- 37 Stampfl, J., Hatzenbichler, M.
Additive Manufacturing Technologies
(2014) *CIRP Encyclopedia of Production Engineering*, pp. 20-27. Cited 95 times.
Springer
-

- 38 Zadpoor, A.A., Malda, J.
(2017) *Additive Manufacturing of Biomaterials, Tissues, and Organs*. Cited 4 times.
Springer
-

- 39 Podshivalov, L., Gomes, C.M., Zocca, A., Guenster, J., Bar-Yoseph, P., Fischer, A.
Design, analysis and additive manufacturing of porous structures for biocompatible micro-scale scaffolds ([Open Access](#))

(2013) *Procedia CIRP*, 5, pp. 247-252. Cited 43 times.
<http://www.sciencedirect.com.ezlib.iium.edu.my/science/journal/22128271>
doi: 10.1016/j.procir.2013.01.049

View at Publisher
-

- 40 Bechmann, F.
Changing the future of additive manufacturing

(2014) *Metal Powder Report*, 69 (3), pp. 37-40. Cited 15 times.
<http://www.elsevier.com.ezlib.iium.edu.my/journals/metal-powder-report/0026-0657>
doi: 10.1016/S0026-0657(14)70135-3

View at Publisher
-

- 41 Brenne, F., Niendorf, T., Maier, H.J.
Additively manufactured cellular structures: Impact of microstructure and local strains on the monotonic and cyclic behavior under uniaxial and bending load

(2013) *Journal of Materials Processing Technology*, 213 (9), pp. 1558-1564. Cited 107 times.
doi: 10.1016/j.jmatprotec.2013.03.013

View at Publisher
-

- 42 Ryan, G., Pandit, A., Apatsidis, D.P.
Fabrication methods of porous metals for use in orthopaedic applications

(2006) *Biomaterials*, 27 (13), pp. 2651-2670. Cited 1036 times.
doi: 10.1016/j.biomaterials.2005.12.002

View at Publisher
-

- 43 Campoli, G., Borleffs, M.S., Amin Yavari, S., Wauthle, R., Weinans, H., Zadpoor, A.A.
Mechanical properties of open-cell metallic biomaterials manufactured using additive manufacturing

(2013) *Materials and Design*, 49, pp. 957-965. Cited 246 times.
doi: 10.1016/j.matdes.2013.01.071

View at Publisher
-

- 44 Parthasarathy, J., Starly, B., Raman, S., Christensen, A.
Mechanical evaluation of porous titanium (Ti6Al4V) structures with electron beam melting (EBM)

(2010) *Journal of the Mechanical Behavior of Biomedical Materials*, 3 (3), pp. 249-259. Cited 501 times.
doi: 10.1016/j.jmbbm.2009.10.006

View at Publisher
-

- ☐ 45 Van Bael, S., Chai, Y.C., Truscello, S., Moesen, M., Kerckhofs, G., Van Oosterwyck, H., Kruth, J.-P., (...), Schrooten, J.
The effect of pore geometry on the in vitro biological behavior of human periosteum-derived cells seeded on selective laser-melted Ti6Al4V bone scaffolds
(2012) *Acta Biomaterialia*, 8 (7), pp. 2824-2834. Cited 375 times.
doi: 10.1016/j.actbio.2012.04.001
[View at Publisher](#)

☐ 46 Su, X.-B., Yang, Y.-Q., Yu, P., Sun, J.-F.
Development of porous medical implant scaffolds via laser additive manufacturing
(2012) *Transactions of Nonferrous Metals Society of China (English Edition)*, 22 (SUPPL. 1), pp. s181-s187. Cited 50 times.
doi: 10.1016/S1003-6326(12)61706-3
[View at Publisher](#)

☐ 47 Babaee, S., Jahromi, B.H., Ajdari, A., Nayeb-Hashemi, H., Vaziri, A.
Mechanical properties of open-cell rhombic dodecahedron cellular structures
(2012) *Acta Materialia*, 60 (6-7), pp. 2873-2885. Cited 105 times.
doi: 10.1016/j.actamat.2012.01.052
[View at Publisher](#)

☐ 48 Rashed, M.G., Ashraf, M., Mines, R.A.W., Hazell, P.J.
Metallic microlattice materials: A current state of the art on manufacturing, mechanical properties and applications
(2016) *Materials and Design*, 95, pp. 518-533. Cited 158 times.
doi: 10.1016/j.matdes.2016.01.146
[View at Publisher](#)

☐ 49 Parthasarathy, J., Starly, B., Raman, S.
A design for the additive manufacture of functionally graded porous structures with tailored mechanical properties for biomedical applications
(2011) *Journal of Manufacturing Processes*, 13 (2), pp. 160-170. Cited 215 times.
doi: 10.1016/j.jmapro.2011.01.004
[View at Publisher](#)

☐ 50 Li, F., Li, J., Xu, G., Liu, G., Kou, H., Zhou, L.
Fabrication, pore structure and compressive behavior of anisotropic porous titanium for human trabecular bone implant applications
(2015) *Journal of the Mechanical Behavior of Biomedical Materials*, 46, pp. 104-114. Cited 58 times.
http://www.elsevier.com/ezlib.iiuum.edu.my/wps/find/journaldescription.cws_home/711005/description#description
doi: 10.1016/j.jmbbm.2015.02.023
[View at Publisher](#)

☐ 51 Ahmadi, S.M., Campoli, G., Amin Yavari, S., Sajadi, B., Wauthle, R., Schrooten, J., Weinans, H., (...), Zadpoor, A.A.
Mechanical behavior of regular open-cell porous biomaterials made of diamond lattice unit cells
(2014) *Journal of the Mechanical Behavior of Biomedical Materials*, 34, pp. 106-115. Cited 214 times.
doi: 10.1016/j.jmbbm.2014.02.003
[View at Publisher](#)

- 52 Yang, L., Harrysson, O., West, H., Cormier, D.
Mechanical properties of 3D re-entrant honeycomb auxetic structures realized via additive manufacturing ([Open Access](#))
(2015) *International Journal of Solids and Structures*, 69-70, pp. 475-490. Cited 201 times.
journals.elsevier.com/international-journal-of-solids-and-structures/
doi: 10.1016/j.ijsolstr.2015.05.005
[View at Publisher](#)
-
- 53 Anisimova, N.Y., Kiselevsky, M.V., Sukhorukova, I.V., Shvindina, N.V., Shtansky, D.V.
Fabrication method, structure, mechanical, and biological properties of decellularized extracellular matrix for replacement of wide bone tissue defects
(2015) *Journal of the Mechanical Behavior of Biomedical Materials*, 49, pp. 255-268. Cited 9 times.
http://www.elsevier.com.ezlib.iium.edu.my/wps/find/journaldescription.cws_home/711005/description#description
doi: 10.1016/j.jmbbm.2015.05.009
[View at Publisher](#)
-
- 54 Lake, S.P., Ray, S., Zihni, A.M., Thompson, D.M., Gluckstein, J., Deeken, C.R.
Pore size and pore shape - but not mesh density - alter the mechanical strength of tissue ingrowth and host tissue response to synthetic mesh materials in a porcine model of ventral hernia repair
(2015) *Journal of the Mechanical Behavior of Biomedical Materials*, 42, pp. 186-197. Cited 48 times.
http://www.elsevier.com.ezlib.iium.edu.my/wps/find/journaldescription.cws_home/711005/description#description
doi: 10.1016/j.jmbbm.2014.11.011
[View at Publisher](#)
-
- 55 Van Der Stok, J., Van Der Jagt, O.P., Amin Yavari, S., De Haas, M.F.P., Waarsing, J.H., Jahr, H., Van Lieshout, E.M.M., (...), Weinans, H.
Selective laser melting-produced porous titanium scaffolds regenerate bone in critical size cortical bone defects ([Open Access](#))
(2013) *Journal of Orthopaedic Research*, 31 (5), pp. 792-799. Cited 158 times.
doi: 10.1002/jor.22293
[View at Publisher](#)
-
- 56 Taniguchi, N., Fujibayashi, S., Takemoto, M., Sasaki, K., Otsuki, B., Nakamura, T., Matsushita, T., (...), Matsuda, S.
Effect of pore size on bone ingrowth into porous titanium implants fabricated by additive manufacturing: An in vivo experiment ([Open Access](#))
(2016) *Materials Science and Engineering C*, 59, pp. 690-701. Cited 340 times.
doi: 10.1016/j.msec.2015.10.069
[View at Publisher](#)
-
- 57 Arabnejad, S., Burnett Johnston, R., Pura, J.A., Singh, B., Tanzer, M., Pasini, D.
High-strength porous biomaterials for bone replacement: A strategy to assess the interplay between cell morphology, mechanical properties, bone ingrowth and manufacturing constraints
(2016) *Acta Biomaterialia*, 30, pp. 345-356. Cited 230 times.
<http://www.journals.elsevier.com/acta-biomaterialia>
doi: 10.1016/j.actbio.2015.10.048
[View at Publisher](#)
-
- 58 Hara, D., Nakashima, Y., Sato, T., Hirata, M., Kanazawa, M., Kohno, Y., Yoshimoto, K., (...), Iwamoto, Y.
Bone bonding strength of diamond-structured porous titanium-alloy implants manufactured using the electron beam-melting technique
(2016) *Materials Science and Engineering C*, 59, pp. 1047-1052. Cited 41 times.
doi: 10.1016/j.msec.2015.11.025
[View at Publisher](#)

- 59 Douglas, T.
Rapid Prototyping: Porous Titanium Alloy Scaffolds Produced by Selective Laser Melting (SLM) for Bone Tissue Engineering
(2009) *TISSUE ENGINEERING PART A*, 15 (5), pp. 07-08. Cited 2 times.
MARY ANN LIEBERT INC 140 HUGUENOT STREET, 3RD FL, NEW ROCHELLE, NY 10801 USA
-
- 60 Dourandish, M., Godlinski, D., Simchi, A., Firouzdor, V.
Sintering of biocompatible P/M Co-Cr-Mo alloy (F-75) for fabrication of porosity-graded composite structures
(2008) *Materials Science and Engineering A*, 472 (1-2), pp. 338-346. Cited 65 times.
doi: 10.1016/j.msea.2007.03.043
[View at Publisher](#)
-
- 61 Mechanical testing of metals - Ductility testing - Compression test for porous and cellular metals
(2011) *Ref Number ISO*, pp. 1-7. Cited 210 times.
I. 13314:2011, "ISO 13314: 2011 (E)
-
- 62 (2009) *ISO 10993-5: 2009. Biological Evaluation of Medical Devices-Part 5: Tests for in Vitro Cytotoxicity*. Cited 290 times.
I. S. Organization
-
- 63 Mumtaz, K.A., Erasenthiran, P., Hopkinson, N.
High density selective laser melting of Waspaloy®
(2008) *Journal of Materials Processing Technology*, 195 (1-3), pp. 77-87. Cited 210 times.
doi: 10.1016/j.jmatprotec.2007.04.117
[View at Publisher](#)
-
- 64 Xia, M., Gu, D., Yu, G., Dai, D., Chen, H., Shi, Q.
Influence of hatch spacing on heat and mass transfer, thermodynamics and laser processability during additive manufacturing of Inconel 718 alloy
(2016) *International Journal of Machine Tools and Manufacture*, 109, pp. 147-157. Cited 88 times.
<http://www.journals.elsevier.com/international-journal-of-machine-tools-and-manufacture/>
doi: 10.1016/j.ijmachtools.2016.07.010
[View at Publisher](#)
-
- 65 Yan, C., Hao, L., Hussein, A., Young, P.
Ti-6Al-4V triply periodic minimal surface structures for bone implants fabricated via selective laser melting ([Open Access](#))
(2015) *Journal of the Mechanical Behavior of Biomedical Materials*, 51, pp. 61-73. Cited 250 times.
http://www.elsevier.com/ezlib.iiu.edu.my/wps/find/journaldescription.cws_home/711005/description#description
doi: 10.1016/j.jmbbm.2015.06.024
[View at Publisher](#)
-
- 66 Yan, C., Hao, L., Hussein, A., Raymont, D.
Evaluations of cellular lattice structures manufactured using selective laser melting
(2012) *International Journal of Machine Tools and Manufacture*, 62, pp. 32-38. Cited 381 times.
doi: 10.1016/j.ijmachtools.2012.06.002
[View at Publisher](#)
-

-
- ☐ 67 Yan, C., Hao, L., Hussein, A., Bubb, S.L., Young, P., Raymont, D.
Evaluation of light-weight AlSi10Mg periodic cellular lattice structures fabricated via direct metal laser sintering
(2014) *Journal of Materials Processing Technology*, 214 (4), pp. 856-864. Cited 154 times.
doi: 10.1016/j.jmatprotec.2013.12.004
[View at Publisher](#)
-
- ☐ 68 Kruth, J.P., Kumar, S., Van Vaerenbergh, J.
Study of laser-sinterability of ferro-based powders
(2005) *Rapid Prototyping Journal*, 11 (5), pp. 287-292. Cited 37 times.
doi: 10.1108/13552540510623594
[View at Publisher](#)
-
- ☐ 69 Pyka, G., Kerckhofs, G., Schrooten, J., Wevers, M.
The effect of spatial micro-CT image resolution and surface complexity on the morphological 3D analysis of open porous structures
(2014) *Materials Characterization*, 87, pp. 104-115. Cited 19 times.
doi: 10.1016/j.matchar.2013.11.004
[View at Publisher](#)
-
- ☐ 70 Silva, D.N., Gerhardt de Oliveira, M., Meurer, E., Meurer, M.I., Lopes da Silva, J.V., Santa-Bárbara, A.
Dimensional error in selective laser sintering and 3D-printing of models for craniomaxillary anatomy reconstruction
(2008) *Journal of Cranio-Maxillofacial Surgery*, 36 (8), pp. 443-449. Cited 177 times.
doi: 10.1016/j.jcms.2008.04.003
[View at Publisher](#)
-
- ☐ 71 Zhou, X., Liu, X., Zhang, D., Shen, Z., Liu, W.
Balling phenomena in selective laser melted tungsten
(2015) *Journal of Materials Processing Technology*, 222, art. no. 14305, pp. 33-42. Cited 159 times.
doi: 10.1016/j.jmatprotec.2015.02.032
[View at Publisher](#)
-
- ☐ 72 Mat, Z.A., Taib, W.S., Wan Harun, S.A., Che Ghani, M.F., Ab Rashid, F., Omar, M.A., Ramli, H.
Dimensional Accuracy Study of Open Cellular Structure CoCrMo Alloy Fabricated by Selective Laser Melting Process
(2016) *Advanced Materials Research*, 1133, pp. 280-284. Cited 13 times.
Trans Tech Publ
-
- ☐ 73 Lei, H., Li, C., Meng, J., Zhou, H., Liu, Y., Zhang, X., Wang, P., (...), Fang, D.
Evaluation of compressive properties of SLM-fabricated multi-layer lattice structures by experimental test and μ -CT-based finite element analysis ([Open Access](#))
(2019) *Materials and Design*, 169, art. no. 107685. Cited 53 times.
<https://www.journals.elsevier.com/materials-and-design>
doi: 10.1016/j.matdes.2019.107685
[View at Publisher](#)
-
- ☐ 74 Dallago, M., Zanini, F., Carmignato, S., Pasini, D., Benedetti, M.
Effect of the geometrical defectiveness on the mechanical properties of SLM biomedical Ti6Al4V lattices ([Open Access](#))
(2018) *Procedia Structural Integrity*, 13, pp. 161-167. Cited 17 times.
www.journals.elsevier.com/procedia-structural-integrity
doi: 10.1016/j.prostr.2018.12.027
[View at Publisher](#)
-

- 75 Lerebours, A., Vigneron, P., Bouvier, S., Rassineux, A., Bigerelle, M., Egles, C.
Additive manufacturing process creates local surface roughness modifications leading to variation in cell adhesion on multifaceted TiAl6V4 samples

(2019) *Bioprinting*, 16, art. no. e00054. Cited 8 times.
<http://www.journals.elsevier.com/bioprinting>
doi: 10.1016/j.bprint.2019.e00054

[View at Publisher](#)

- 76 Chen, C., Hao, Y., Bai, X., Ni, J., Chung, S.-M., Liu, F., Lee, I.-S.
3D printed porous Ti6Al4V cage: Effects of additive angle on surface properties and biocompatibility; bone ingrowth in Beagle tibia model ([Open Access](#))

(2019) *Materials and Design*, 175, art. no. 107824. Cited 23 times.
<https://www.journals.elsevier.com/materials-and-design>
doi: 10.1016/j.matdes.2019.107824

[View at Publisher](#)

- 77 Yan, C., Hao, L., Hussein, A., Young, P., Raymont, D.
Advanced lightweight 316L stainless steel cellular lattice structures fabricated via selective laser melting ([Open Access](#))

(2014) *Materials and Design*, 55, pp. 533-541. Cited 301 times.
doi: 10.1016/j.matdes.2013.10.027

[View at Publisher](#)

- 78 Van Bael, S., Kerckhofs, G., Moesen, M., Pyka, G., Schrooten, J., Kruth, J.P.
Micro-CT-based improvement of geometrical and mechanical controllability of selective laser melted Ti6Al4V porous structures

(2011) *Materials Science and Engineering A*, 528 (24), pp. 7423-7431. Cited 261 times.
doi: 10.1016/j.msea.2011.06.045

[View at Publisher](#)

- 79 Mullen, L., Stamp, R.C., Brooks, W.K., Jones, E., Sutcliffe, C.J.
Selective laser melting: A regular unit cell approach for the manufacture of porous, titanium, bone in-growth constructs, suitable for orthopedic applications

(2009) *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 89 (2), pp. 325-334. Cited 273 times.
<http://www3.interscience.wiley.com.ezlib.iium.edu.my/cgi-bin/fulltext/121430505/PDFSTART>
doi: 10.1002/jbm.b.31219

[View at Publisher](#)

- 80 Santorinaios, M., Brooks, W., Sutcliffe, C.J., Mines, R.A.W.
Crush behaviour of open cellular lattice structures manufactured using selective laser melting ([Open Access](#))

(2006) *WIT Transactions on the Built Environment*, 85, pp. 481-490. Cited 56 times.
ISBN: 1845641620; 978-184564162-7
doi: 10.2495/HPSM06047

[View at Publisher](#)

👤 Che Ghani, S.A.; Human Engineering Group, Faculty of Mechanical and Automotive Engineering Technology, Universiti Malaysia Pahang, Pekan, Pahang, Malaysia; email:anwarcg@ump.edu.my
© Copyright 2020 Elsevier B.V., All rights reserved.

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

